## FACSIMILE TRANSMITTAL COVER SHEET

出り

April 24, 2000

To:

Examiner Bronwen Loeb

USPTO

Crystal City, VA

703-746-5016

RE:

Ser. No. 09/600,602 --

COURTESY COPY, NOT FOR ENTRY INTO FILE

This transmission is intended for the sole use of the individual and This transmission is intended for the sole use of the individual and entity to whom it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. You are hereby notified that any dissemination, distribution or duplication of this transmission by someone other than the intended addressee or its designated agent is strictly prohibited. If your receipt of this transmission is in error, please notify this firm immediately by collect call to (703) 205-8000, and send the original transmission to us by return mail at the address below.

From:

Mark Nuell

Address:

BIRCH, STEWART, KOLASCH & BIRCH, LLP

P.O. BOX 747

FALLS CHURCH, VIRGINIA 22040-0747

Phone:

(703) 205-8000 -- Switchboard

(703) 205-8050 -- Facsimile No. 1

(703) 205-8060 -- Facsimile No. 2

3 \_ Pages to Follow.

MESSAGE:

If you need to have any pages resent, please call the number listed above. If you do not call, we will assume that you have satisfactorily received the transmitted pages. Thank you.

SEP OF 2001

GROUP 1600

## **FAX RECEIVED**

SEP 26 2001

Examiner Loeb:

**GROUP 1600** 

In reply to your telephone message responsive to my call, here are the amendments that I was proposing. I believe that they address the issues you indicated, but I think they provide a little clearer language. On the "second isolated nucleic acid fragment", note that claims 1 and 13 recite alternative descriptions of the fragment ("or"). Please call me at 703-205-8043 to discuss what language I should inform my client about.

-Mark Nuell Reg. No. 36,623

## PROPOSED AMENDMENTS IN 09/600,602

- 1. (Amended) An isolated nucleic acid fragment no more than 120 nucleotides in length and comprising the nucleotide sequence shown in SEQ ID NO: 1 or an isolated nucleic acid fragment no more than 120 nucleotides in length, excluding the nucleic acid having the nucleotide sequence shown in SEQ ID NO: 3, comprising the [same] nucleotide sequence shown in SEQ ID NO: 1 except that one or a plurality of nucleotides are substituted or deleted, or except that one or a plurality of nucleotides are inserted or added, which has [an] activity to promote expression of a structural gene located downstream of said nucleic acid fragment.
- 13. (Amended) A method for promoting expression of a structural gene, comprising inserting, at a location upstream of said structural gene, a nucleic acid fragment no more than 120 nucleotides in length comprising the nucleotide sequence shown in SEQ ID NO: 1 or a nucleic acid

7

fragment no more than 120 nucleotides in length, excluding the nucleic acid having the nucleotide sequence shown in SEQ ID NO: 3, comprising the same nucleotide sequence as shown in SEQ ID NO: 1 except that one or a plurality of nucleotides are substituted or deleted, or except that one or a plurality of nucleotides are inserted or added, which has [an] activity to promote expression of a structural gene located downstream of said nucleic acid fragment.

- 24. The method according to claim 17, in which a plurality of said nucleic acid fragments is inserted in said intron [upstream of said structural gene].
- 25. The method according to claim 18, in which a plurality of said nucleic acid fragments is inserted in said intron [upstream of said structural gene].